

Closet Flanges

»» First in Innovation. First in Quality.



Complete

A variety of sizes and models mean the right flange is available for any job.

Innovative

Exclusive designs with unique features provide solutions for contractors.

Trusted

Designed, engineered and molded in the USA using only top-quality resins.



“ We have installed over 60,000 TKOs over the last three years. They have eliminated the callbacks on knockouts in the sewer lines. We would highly recommend this product to anyone in the plumbing trade. ”

J.A. Croson Company
Contractor

Note: Image not representative of full line

Closet Flanges

» First in Innovation. First in Quality.

- Knockout Flanges**
- Open Flanges**
- Offset Flanges**
- Push-In Flanges**
- Specialty Flanges**
- Spacer & Repair Rings**

Sioux Chief's closet flanges do what flanges are designed to do — anchor the toilet to the floor and make a secure connection to the drain. And they do so with the quality and attention to detail contractors have come to expect from an American manufacturer. To Sioux Chief, closet flanges represent an opportunity to make another group of rough plumbing products better. Better for distributors, better for installing contractors.

Sioux Chief has been designing and molding closet flanges for 25 years. From the beginning, we have engineered quality into this product. We have never stopped trying to make a better product. Over the years, our refinements have included a knockout that won't break apart, swivel rings made from stainless steel, full flow offset flanges, and more.

At Sioux Chief, in addition to developing new products, we continue to improve our production quality. We inspect every closet flange and test every TKO™ for leaks before packaging. Our expert technicians run, maintain and service our molds daily. This level of attention not only prevents production delays, it also allows us to make improvements in design as quickly as we identify the opportunity to do so. For closet flanges, as with all our products, we aspire to make the best ones on the market — to provide the most value for our distribution partners and installing contractors.



Complete. Innovative. Trusted.

Knockout Flanges

There are knockouts, and then there is the *total knockout*. At Sioux Chief we call it the TKO. The TKO uses an integrally molded test cap that prevents debris from entering the drain line during rough-in and allows for testing of the DWV system. We introduced the TKO design more than 15 years ago and have been improving it ever since. Our contractors have made it the knockout closet flange of choice. They appreciate not only its quality but also the completeness of the line — six different connection types, in ABS or PVC, one-piece or with a corrosion-resistant, 430 stainless steel swivel ring.



Open Flanges

At Sioux Chief we design our open flanges with the same care and precision as we do the TKO. Contractors have found the open flange to be a cost effective alternative in those instances where a test cap is not needed. These include installations after the system is tested or where no testing is performed. We complement our complete line of open flanges with five different connection types, in ABS or PVC, one-piece or with a corrosion-resistant, 430 stainless steel swivel ring.



Offset Flanges

Sioux Chief has designed two quality offset flanges — the Full Flush™ and the Drop-Kick™ — to deal with the real world problems contractors face, like a misaligned pipe or inconvenient floor joists. What makes these flanges unique is their full flow capacity. A 3" ball will pass through either unobstructed. This feature has enabled these flanges to pass code — a first. The Full Flush has a 3" Schedule 40 Hub connection, which will fit into 4" pipe. The Drop-Kick's 3" spigot outlet easily connects to any fitting hub. Both are available in ABS or PVC and both are standard with a corrosion-resistant, 430 stainless steel swivel ring.



Note: Images not representative of full line

Push-In Flanges

While most closet flanges have a solvent weld joint, Sioux Chief's Push Tite™ uses a tough, engineered elastomer gasket to seal against the inside wall of a drain pipe. The clean, simple installation makes it perfect for repair or remodeling jobs. The installer need only push it in and fasten it to the floor. The Push Tite works well with various piping materials – ABS, PVC, cast iron, and even some copper and lead pipes. It has the largest outlet diameter of any comparable flange on the market and also has smooth inner walls with no obstructions or ledges to cause clogs. The extended outlet length of the Push Tite helps it to seal against the inner wall of the drain pipe, even when additional flooring is added or the pipe is cut below the floor. Sioux Chief has developed Push Tites for both 3" and 4" drain pipe.



Specialty Flanges

Sioux Chief offers a wide range of closet flanges for specialty installations. In commercial settings, many installers use our cast iron flange with a compression-type joint to connect to cast iron drain systems. The compression gasket provides an integral test cap and debris cover. For repair/remodel projects in older homes with “lead bends” where replacement of the flange and piping is not possible, installers often prefer to use a brass closet flange ring. Many of our contractors use urinal flanges when connecting wall-mounted urinals in commercial bathrooms. These fittings connect the urinal to the 2" drain pipe and include a sponge-rubber gasket and fastening hardware. The inside-fit connection is exclusive to Sioux Chief and can be installed after the wall has been finished around the pipe.



Spacer & Repair Rings

Installers use Sioux Chief's spacer and repair rings to repair or adapt closet flanges for specific applications, such as when new or thicker flooring is added. The Quick Spacer™ installs under the flange, while the Raise-A-Ring™ is typically set on top of the flange, and can be stacked if necessary. For repairs to cracked or broken flanges, installers can fit Sioux Chief's stainless steel Ringer™ over the damaged flange and fasten it to the floor. Also available is a two-piece repair ring, designed to replace rusted or broken metal swivel rings without replacing the plastic portion of the flange.





883-PT



887-AM



889-POM

» Buying Information							
PVC ITEM #	ABS ITEM #	CONNECTION	DESCRIPTION	PKG.	MIN. QTY.	CASE QTY.	UPC LISTED
KNOCKOUT FLANGES							
883-PT	883-AT	3" Hub / Inside 4"	One-Piece, TKO Closet Flange	B*	25	25	YES
883-PTPK	883-ATPK	3" Hub / Inside 4"	One-Piece, TKO Closet Flange	C*	8	8	YES
886-PTS	886-ATS	3" Spigot	One-Piece, TKO Closet Flange	B*	25	25	YES
886-PT30	N/A	3" Sch. 30 Hub	One-Piece, TKO Closet Flange	B*	25	25	NO
886-4PT	886-4AT	4" Hub	One-Piece, TKO Closet Flange	B*	25	25	YES
886-4PTS	886-4ATS	4" Spigot	One-Piece, TKO Closet Flange	B*	25	25	YES
884-PTM	884-ATM	3" Hub / Inside 4"	SS Swivel-Ring, TKO Closet Flange, 2-1/2" Long Hub	B*	24	24	YES
884-PTMPK	884-ATMPK	3" Hub / Inside 4"	SS Swivel-Ring, TKO Closet Flange	C*	8	8	YES
886-PTMS	886-ATMS	3" Spigot	SS Swivel-Ring, TKO Closet Flange	B*	25	25	YES
886-PTMSPK	886-ATMSPK	3" Spigot	SS Swivel-Ring, TKO Closet Flange	C*	8	8	YES
888-PTM	888-ATM	Inside 3"	SS Swivel-Ring, TKO Closet Flange	B*	25	25	NO
888-PTMPK	888-ATMPK	Inside 3"	SS Swivel-ring, TKO Closet Flange	C*	8	8	NO
886-PTM30	N/A	3" Sch. 30 Hub	SS Swivel-Ring, TKO Closet Flange	B*	25	25	NO
886-4PTM	886-4ATM	4" Hub	SS Swivel-Ring, TKO Closet Flange	B*	25	25	YES
886-4PTMPK	886-4ATMPK	4" Hub	SS Swivel-Ring, TKO Closet Flange	C*	8	8	YES
886-4PTMS	886-4ATMS	4" Spigot	SS Swivel-Ring, TKO Closet Flange	B*	25	25	YES
886-4PTMSPK	886-4ATMSPK	4" Spigot	SS Swivel-Ring, TKO Closet Flange	C*	8	8	YES
OPEN FLANGES							
888-P	888-A	Inside 3"	One-Piece Closet Flange	B*	20	20	NO
888-PPK	888-APK	Inside 3"	One-Piece Closet Flange	C*	10	10	NO
886-P	886-A	3" Hub / Inside 4"	One-Piece Closet Flange	B*	20	20	YES
886-PPK	886-APK	3" Hub / Inside 4"	One-Piece Closet Flange	C*	10	10	YES
886-4P	886-4A	4" Hub	One-Piece Closet Flange	B*	25	25	YES
886-4PPK	886-4APK	4" Hub	One-Piece Closet Flange	C*	6	6	YES
886-4PS	N/A	4" Spigot	One-Piece Closet Flange	B*	25	25	YES
888-PM	888-AM	Inside 3"	SS Swivel-Ring Closet Flange, 4" Long Outlet	B*	12	12	NO
887-PM	887-AM	3" Hub / Inside 4"	SS Swivel-Ring Closet Flange	B*	25	25	YES
886-4PM	886-4AM	4" Hub	SS Swivel-Ring Closet Flange	B*	25	25	YES
886-4PMSPK	886-4AMSPK	4" Spigot	SS Swivel-Ring Closet Flange	C*	6	6	YES
OFFSET FLANGES							
889-POM	889-AOM	3" Hub / Inside 4"	SS Swivel-Ring, Full Flush 1-1/2" Offset Closet Flange	B*	20	20	YES
889-POMPK	889-AOMPK	3" Hub / Inside 4"	SS Swivel-Ring, Full Flush 1-1/2" Offset Closet Flange	C*	6	6	YES
889-POTM	889-AOTM	3" Hub / Inside 4"	SS Swivel-Ring, Full Flush 1-1/2" Offset Closet Flange W/ TKO Knockout	B*	20	20	YES
889-GPOM	889-GAOM	Inside 4"	SS Swivel-Ring, Full Flush 1-1/2" Offset Closet Flange W/ Push Tite Gasket Connection	C*	4	4	NO
889-45PM	889-45AM	3" Spigot	SS Swivel-Ring, Drop-Kick 45° Offset Closet Flange	B*	20	20	YES
889-45PMPK	889-45AMPK	3" Spigot	SS Swivel-Ring, Drop-Kick 45° Offset Closet Flange	C*	10	10	YES
889-45PMPK2	889-45AMPK2	3" Spigot	SS Swivel-Ring, Drop-Kick 45° Offset Closet Flange	C*	6	6	YES



Indicated in above column

PACKAGING:

B = Bulk

C = Cut Case

* Individually Bar-Coded



886-GP



868-7A



886-R / 886-RQ

Buying Information

PVC ITEM #	ABS ITEM #	CONNECTION	DESCRIPTION	PKG.	MIN. QTY.	CASE QTY.	UPC LISTED
PUSH-IN FLANGES							
888-GPM	888-GAM	Inside 3"	SS Swivel-Ring, Push Tite W/ Extended Outlet	C*	6	6	NO
887-GPM	887-GAM	Inside 4"	SS Swivel-Ring, Push Tite Closet Flange	C*	6	6	NO
886-GP	886-GA	Inside 4"	One-Piece, Push Tite W/ Extended Outlet	C*	5	5	NO
887-GPTMK	N/A	Inside 4"	Push Tite Kit: 886-GP, Wax Ring, Closet Bolts & Shims	C*	6	6	NO
SPECIALTY FLANGES							
890-i42	N/A	Over 4" Compress.	Cast Iron Flange W/ Elastomer Gasket / Test Cap	B*	5	5	YES
890-4BPK	N/A	Over 4" lead	Cast Brass Flange Ring	C*	10	10	NO
890-4BDPK	N/A	Over 4" lead	Cast Brass Deep-Seal Flange Ring	C*	10	10	NO
868-5P	868-5A	2" Hub	Urinal Flange Kit W/ Gasket & Hardware	B*	10	10	NO
868-7P	868-7A	Inside 2"	Urinal Flange Kit W/ Gasket & Hardware	B*	10	10	NO
868-9P	868-9A	2" Spigot	Urinal Flange Kit W/ Gasket & Hardware	B*	10	10	NO
SPACER & REPAIR RINGS							
886-MR	N/A	Repair	Stainless Steel Ringer One-Piece Repair Ring	C*	20	20	NO
886-MRPK	N/A	Repair	Stainless Steel Ringer One-Piece Repair Ring	B*	10	10	NO
886-MRM	N/A	Repair	Galvanized Two-Piece Repair Ring W/ Hardware	C*	8	8	NO
886-R	N/A	Spacer	7/16" Thick Raise-A-Ring ABS Spacer / Extension Ring	C*	20	20	NO
886-RQ	N/A	Spacer	1/4" Thick Raise-A-Ring ABS Spacer / Extension Ring	C*	20	20	NO
886-411	N/A	Spacer	Spacer/Extension Kit: 886-R, Closet Bolts & Shims	C*	20	20	NO
886-ER	N/A	Spacer	3/4" Thick Quick Spacer Spacer Ring	B*	25	25	NO



Indicated in above column

PACKAGING:

B = Bulk

C = Cut Case

* Individually Bar-Coded

TAKE THE FIELD.

24110 South Peculiar Drive
Peculiar, Missouri 64078
P 1.800.821.3944
F 1.800.758.5950

